

A photograph of a modern office environment. In the foreground, a red upholstered office chair with a white metal base is positioned facing a white rectangular desk. A red cushion or mat sits on the desk's surface. The background is a plain, light-colored wall.

Business center

*brighten your business*

MOVING



# MOVING

*Business Center*



MOVING TECHNOLOGY ITALIAN STYLE



Bohème 4



Modulo 42



Aida 10



Elettra 46



Zaira 16



Nabucco 50



Tosca 20



Otello 56



Carmen 26



Edgar 60



Cardinale 30

Dimensions 64



Arturo 34

Rivestimenti  
Upholstery 70

*Design\_AZ Creations*

 MOVING



*Bohème*





BH02



BH04



BH10



BH16



BH07



BH09



BH17





*Design\_AZ Creations*

 MOVING



Aida





DA06



DA02



DA10



DA13



DA04



DA07



DA16





*Design\_AZ Creations*

 MOVING

Zaira





ZA06



ZA04



ZA02



ZA10

*Design\_AZ Creations*



MOVING



Tosca





TA02



TA04



TA01



TA03



TA05





*Design\_AZ Creations*



MOVING

Carmen





RN01



RN03



RN04



RN02

*Design\_AZ Creations*



MOVING

Cardinale





ZZ01 - CA01



CA05



CA02



CA06



Design\_AZ Creations



MOVING



Arturo



36

Arturo



AH01





AH02

37  
Arturo





AH03







*Design\_Arch. Pierluigi Galassi*

 MOVING



Modulo





MLO3



MLO2



MLO1

*Design\_AZ Creations*



MOVING

Elettra





LC01

*Design\_AZ Creations*



MOVING



Nabucco





NA04



NA03



NA02



NA01



Nabucco



*Design\_AZ Creations*



MOVING

Otello





OT02



OT03



OT04



OT01

*Design\_AZ Creations*



MOVING

*Edgar*





ED02



ED03




ED04







ED01

# Dimensioni/Dimensions

Bohème




Aida



# Dimensioni/Dimensions

Zaira




Impilabilità/Stackability  
max 10



Impilabilità/Stackability  
max 8





Impilabilità/Stackability  
max 6




Impilabilità/Stackability  
max 8

Tosca



# Dimensioni/Dimensions

Carmen




Cardinale








# Dimensioni/Dimensions

Arturo




Modulo







# Dimensioni/Dimensions

Elettra




Nabucco










# Dimensioni/Dimensions

Otello



Edgar



# Rivestimenti/Upholstery



*brighten your business*



MOVING

# Cat.G

# LEATHER - PELLE

 Pelle bovina  
Bovine hide

 700 g/m<sup>2</sup>

 BS 5852

 UNI EN ISO 105 B02 (5)  
UNI EN ISO 11640 (>=4)

 Vera Pelle  
Genuine Leather



PF03



PF06



PF02



PF11



PF13




PF10



PF05



PF15




PF07



PF04



PF16



PF08

# Cat.G

# NEW BLAZER

 100% Lana  
100% Wool

 430 g/m<sup>2</sup>

 BS EN 1021 - 1/2  
BS 5852  
BS 7176  
UNI 9175 Classe 1 IM

 BS EN ISO 12947 - 2  
50.000 Cicli/Cycles

 UNI EN ISO 105 B02 (5)



NB15



NB01



NB13



NB49



NB24



NB02

 63 % Poliuretano/Polyurethane  
29 % Cotone/Cotton  
8 % Poliestere/Polyester


 480 g/m<sup>2</sup>

 EN 1021 - 2/93  
IMO Resolution A.652(16)/89  
BS 5852 - 1/79 part I  
BS 5852/90 - crib 5  
UNI 9175 classe 1.1M

 UNI EN ISO 12947 - 2  
150.000 Cicli/Cycles

 UNI EN ISO 105 B02 (5)

 ULTRA-FRESH  
Antibatterico/Antimicrobial  
Antiacaro/Antiacarus




EP01



EP02



EP06



EP03



EP04



EP12



EP07



EP08




EP13



EP09




EP14




EP05



EP10



EP11



EP15

# Cat.G

 82 % Poliestere/Polyester  
18 % Cotone/Cotton

 443 g/m<sup>2</sup>

 UNI EN ISO 12947 - 2  
30.000 Cicli/Cycles

 UNI EN ISO 105 B02 (5)



DU01



DU07



DU08



DU05



DU13




DU02



DU03



DU09



DU12



DU10



DU11



DU06

# Cat.F

 100% Poliestere/Polyester

 457 g/m<sup>2</sup>

 UNI EN ISO 12947 - 2  
30.000 Cicli/Cycles

 UNI EN ISO 105 B02-94 (5)



AC01



AC07



AC04



AC08



AC06




AC05



AC02



AC03



AC09



AC10



AC11

# DUETTO



DUETTO

# ACUTO



ACUTO

# Cat.F



100% Poliestere/Polyester



280 g/m<sup>2</sup>



UNI EN 20344-45  
52.000 Cicli/Cycles



AP01



AP02



AP03



AP07




AP05



AP06



AP04



AP08

# Cat.F



81 % Poliestere/Polyester  
12 % Cotone/Cotton  
7 % Acrilico/Acrylic



414 g/m<sup>2</sup>



UNI EN ISO 12947 - 2  
> 20.000 Cicli/Cycles



UNI EN ISO 105 B02 (4/5)



Anti Macchia  
Stain-Removing Power



Idrorepellente  
Waterproof



RI01



RI07



RI11



RI06



RI12



RI08



RI04




RI09




RI03



RI10



RI02



RI05

 100% Nylon

 205 g/m<sup>2</sup>
 UNI EN 20344-45  
100.000 Cicli/Cycles


KR03



KR06



KR05



KR04



KR01



KR02

**Legenda/ Legend**
 Composizione  
Composition

 Resistenza all'abrasione  
Abrasion Resistance  
Martindale

 Peso  
Weight

 Antibatterico/Antimicrobial  
Antiacaro/Antiacarus

 Infiammabilità  
Flame Retardant

 Idrorepellente  
Waterproof

 Solidità Colore  
Colour Fastness

 Anti Macchia  
Stain-Removing Power
**Pulizia e Manutenzione/Cleaning and Maintenance**

Pulizia ordinaria: spolverare delicatamente il rivestimento con una spazzola morbida. Usare una soluzione leggera di acqua e sapone neutro da applicare delicatamente con un panno inumidito, far asciugare e spazzolare ancora per ravvivare il tessuto.

Periodicamente ammorbidente la pelle con un panno imbevuto di acqua e sapone neutro.

Ordinary cleaning: gently remove upholstery dust with a soft brush. Use a mild solution of neutral soap and water to be applied gently with a dampened cloth. Dry and revive the fabric by brushing again.

Periodically soften the leather by using a cloth dampened with water and neutral soap.

# Cat.D


 48% Poliuretano/ Polyurethane  
31% Cotone/ Cotton  
21% Poliestere/ Polyester

 450 g/m<sup>2</sup>

 UNI 9175 Classe 1 IM  
BS 5852-1  
UNI EN 1021-1

 EN 13520 (01)  
>100.000 Cicli/Cycles

 UNI EN ISO 105 B02 (5)



SL01




SL26



SL27



SL24



SL23



SL28



SL21



SL29



SL14



SL15



SL20



SL39



SL10



SL11




SL30




SL25



SL17



SL05



SL18

# SILVIA

# PAINTING/VERNICIATURE



Rovere sbiancato  
Bleached light oak veneered painted




Wengè  
Wengè oak veneered painted

# MATT LACQUERING/LACCATURE



RAL 9010



RAL 9005



RAL 3003

# *Informazioni Importanti*

# *Important Information*

Il presente catalogo annulla e sostituisce ogni precedente.

I rivestimenti possono presentare delle lievi differenze di tonalità rispetto ai campioni.

Moving, al fine di migliorare le caratteristiche tecniche e qualitative della sua produzione, si riserva il diritto, in qualsiasi momento, di modificare in tutto o in parte il contenuto del presente catalogo anche senza preavviso.

This catalogue supersedes all previous issues.

Upholsteries might present slight differences in tonality compared to the samples.

Moving, to improve the technical and qualitative characteristics of production, reserves the right at any time to modify entirely or partially the content of the present catalogue even without notice.

Il catalogo è disponibile in PDF sul nostro sito internet [www.moving.vi.it](http://www.moving.vi.it)

The catalogue is available in PDF on our website [www.moving.vi.it](http://www.moving.vi.it)



# MOVING<sup>®</sup>

Via dell'artigianato, 1 - 36070 Trissino (VI) Italy  
Tel. +39 0445 490777 - Fax. +39 0445 490008  
[info@moving.vi.it](mailto:info@moving.vi.it) - [www.moving.vi.it](http://www.moving.vi.it)



Certification and guarantee  
of absolute product quality



**IQNet Certified**  
Management System



**ISO 9001:2000**  
Quality



**ISO 14001:2004**  
Environmental



**OHSAS 18001:2007**  
Safety



MOVING TECHNOLOGY ITALIAN STYLE

[www.moving.vi.it](http://www.moving.vi.it)



MOVING®